



Ink Projects, LLC
460 Greenway Industrial Drive, Suite A • Fort Mill, South
Carolina 29708 • USA

Authorized European Representative/Importer:
Kwadron Sp. z o.o. Sp. k.
Sosnowiecka 81, 31-345 Kraków, Poland
Telephone: +48 608804444
www.kwadron.pl
info@kwadron.net

Quality and Compliance Technical Dossier

Website: www.permablend.com

Email: sales@permablend.com

Telephone: +1 (803) 578-9721

Issue Date: 20 December 2021

For use in tattoo/permanent make-up procedures by
professional artists only

Name: Dark Java

SKU: LXDJ

Lot: 12186



Avoid sunlight or high temperatures
Recommended storage conditions:
5°C/41°F to 35°C/95°F

Complete Ingredients List (descending order): WATER, YELLOW 138 (CI:56300), WHITE 6 (CI:77891), MODIFIED ACRYLIC POLYMER, GLYCERIN, PROPYLENE GLYCOL, TEA, RED 254 (CI:56110), RED 238 (CI: 173995), ACRYLATES COPOLYMERS, BLACK 7 (CI:77266), ETHOXYLATED FATTY ALCOHOLS, SORBITOL, BENZYL ALCOHOL, DISODIUM SALT, MINERAL OIL, AMMONIUM HYDROXIDE (pH REGULATOR)

No methanol or isopropyl alcohol is used in any formulations of this brand unless designated

Declaration of Quality, Compliance and Analytical Summary:

Heavy Metals

All results generated from Inductively Coupled Plasma Mass Spectrometry (ICP-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight and ppm)
Heavy Metals			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Antimony	231-146-5	7440-36-0	≤0.00005% (0.5ppm)
Arsenic	231-148-6	7440-38-2	≤0.00005% (0.5ppm)
Cadmium	231-152-8	7440-43-9	≤0.00005% (0.5ppm)
Cobalt	231-158-0	7440-48-4	≤0.00005% (0.5ppm)
Mercury	231-106-7	7439-97-6	≤0.00005% (0.5ppm)
Nickel	231-111-4	7440-02-0	≤0.0005% (5.0ppm)
Lead	231-100-4	7439-92-1	≤0.00007% (0.7ppm)
Selenium	231-957-4	7782-49-2	≤0.0002% (2.0ppm)
Barium (Soluble)	231-149-1	7440-39-3	≤0.05% (500ppm)
Zinc (soluble)	231-175-3	7440-66-6	≤0.2% (2000ppm)

Copper (soluble)	231-159-6	7440-50-8	≤0.025% (250ppm)
Chromium VI	231-157-5	7440-47-3	≤0.00005% (0.5ppm)
Organometallic Tin	231-141-8	7440-31-5	≤0.00005% (0.5ppm)

Polycyclic-aromatic Hydrocarbons (PAH)

All results generated from EPA3550C + EPA8270E methods using Gas Chromatography Mass Spectrometry (GC-MS) sample prep and analysis

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Polyaromatic Hydrocarbons (PAH)			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
Naphthalene	202-049-5	91-20-3	≤0.00005% (0.5ppm)
Acenaphthylene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Acenaphthene	201-469-6	83-32-9	≤0.00005% (0.5ppm)
Fluorene	201-695-5	86-73-7	≤0.00005% (0.5ppm)
Phenanthrene	201-581-5	85-01-8	≤0.00005% (0.5ppm)
Anthracene	204-371-1	120-12-7	≤0.00005% (0.5ppm)
Fluoranthene	205-912-4	206-44-0	≤0.00005% (0.5ppm)
Pyrene	204-927-3	129-00-0	≤0.00005% (0.5ppm)
Benz[a]anthracene	200-280-6	56-55-3	≤0.00005% (0.5ppm)
Chrysene	205-923-4	218-01-9	≤0.00005% (0.5ppm)
Benzo[b]fluoranthene	205-911-9	205-99-2	≤0.00005% (0.5ppm)
Benzo[j]fluoranthene	205-910-3	205-82-3	≤0.00005% (0.5ppm)
Benzo[k]fluoranthene	205-916-6	207-08-9	≤0.00005% (0.5ppm)
Benzo[e]pyrene	205-892-7	192-97-2	≤0.00005% (0.5ppm)
Benzo[a]pyrene	200-028-5	50-32-8	≤0.000005% (0.005ppm)
Indeno[1,2,3-cd]pyrene	205-893-2	193-39-5	≤0.00005% (0.5ppm)
Dibenz[a,h]anthracene	200-181-8	53-70-3	≤0.00005% (0.5ppm)
Benzo[ghi]perylene	205-883-8	191-24-2	≤0.00005% (0.5ppm)

Amines

All results generated from ISO 14362-1:2017 method with determination completed with GC-MS and additional Liquid Chromatography Mass Spectrometry (LC-MS) sample prep and analysis for some analytes of interest

Property	EC Number	CAS Number	Limit (% by weight, ppm)
Amines			DOES NOT EXCEED THE ESTABLISHED LIMIT AS IN COMMISSION REGULATION (EU) 2020/2081
o-Anisidine (Soluble)	201-963-1	90-04-0	≤0.0005% (5.0ppm)
o-toluidine (Soluble)	202-429-0	95-53-4	≤0.0005% (5.0ppm)
3,3'-dichlorobenzidine (Soluble)	202-109-0	91-94-1	≤0.0005% (5.0ppm)
4-methyl-m- phenylenediamine (Soluble)	202-453-1	95-80-7	≤0.0005% (5.0ppm)
4-chloroaniline (Soluble)	203-401-0	106-47-8	≤0.0005% (5.0ppm)

5-nitro-o-toluidine (Soluble)	202-765-8	99-55-8	≤0.0005% (5.0ppm)
3,3'-dimethoxybenzidine (Soluble)	204-355-4	119-90-4	≤0.0005% (5.0ppm)
4,4'-bi-o-toluidine (Soluble)	204-358-0	119-93-7	≤0.0005% (5.0ppm)
4,4'-Thiodianiline (Soluble)	205-370-9	139-65-1	≤0.0005% (5.0ppm)
4-chloro-o-toluidine (Soluble)	202-441-6	95-69-2	≤0.0005% (5.0ppm)
2-naphthylamine (Soluble)	202-080-4	91-59-8	≤0.0005% (5.0ppm)
Aniline (Soluble)	200-539-3	62-53-3	≤0.0005% (5.0ppm)
Benzidine (Soluble)	202-199-1	92-87-5	≤0.0005% (5.0ppm)
p-toluidine (Soluble)	203-403-1	106-49-0	≤0.0005% (5.0ppm)
2-methyl-p-phenylenediamine (Soluble)	202-442-1	95-70-5	≤0.0005% (5.0ppm)
Biphenyl-4-ylamine (Soluble)	202-177-1	92-67-1	≤0.0005% (5.0ppm)
4-o-tolylazo-o-toluidine (Soluble)	202-591-2	97-56-3	≤0.0005% (5.0ppm)
4-methoxy-m- phenylenediamine (Soluble)	210-406-1	615-05-4	≤0.0005% (5.0ppm)
4,4'-methylenedianiline (Soluble)	202-974-4	101-77-9	≤0.0005% (5.0ppm)
4,4'-methylenedi-o-toluidine (Soluble)	212-658-8	838-88-0	≤0.0005% (5.0ppm)
6-methoxy-m-toluidine (Soluble)	204-419-1	120-71-8	≤0.0005% (5.0ppm)
4,4'- methylene-bis-[2-chloro aniline] (Soluble)	202-918-9	101-14-4	≤0.0005% (5.0ppm)
4,4'-oxydianiline (Soluble)	202-977-0	101-80-4	≤0.0005% (5.0ppm)
2,4,5-trimethylaniline (Soluble)	205-282-0	137-17-7	≤0.0005% (5.0ppm)
4-Aminoazobenzene (Soluble)	200-453-6	60-09-3	≤0.0005% (5.0ppm)
p-Phenylenediamine (Soluble)	203-404-7	106-50-3	≤0.0005% (5.0ppm)
Sulphanilic acid (Soluble)	204-482-5	121-57-3	≤0.0005% (5.0ppm)
4-amino-3-fluorophenol (Soluble)	402-230-0	399-95-1	≤0.0005% (5.0ppm)
2,6-xylidine	201-758-7	87-62-7	≤0.0005% (5.0ppm)
6-amino-2-ethoxynaphthaline		293733-21-8	≤0.0005% (5.0ppm)
2,4-xylidine	202-440-0	95-68-1	≤0.0005% (5.0ppm)

General Screening of Formulation Contaminants

High Pressure Liquid Chromatography (HPLC) and GC-MS are analytical tools used to conduct further testing for any detectable carcinogens, reproductive toxicants, skin sensitizers, skin and eye corrosives/irritants not disclosed in raw materials or found as residuals/contaminants in finished formulation (ex. aldehydes, benzenes, additional amines, etc). The product listed herein complies with the standards described in EU Regulation 2020/2081 REACH Annex XVII and outlined with limits below

Concern	Regulatory Category	Limit
Carcinogen/Mutagen	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2	0.00005% by weight; 0.5ppm
Reproductive Toxicant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2	0.001% by weight; 10ppm
Skin Sensitizer	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitizer category 1, 1A or 1B	0.001% by weight; 10ppm
Skin Corrosive/ Skin Irritant/ Eye Irritant	a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2	0.1% by weight if solely used as a pH regulator; 0.01% by weight in all other cases (100ppm)

Annex II Substance	a substance listed in Annex II to Regulation (EC) No 1223/2009: Rinse off products, Not to be used in products applied on mucous membranes, Not to be used in eye products	0.00005% by weight; 0.5ppm
--------------------	--	-------------------------------

All testing is completed by 3rd party laboratories with verified method development and validation procedures for each test and product type. Testing is completed on both raw materials and finished product to ensure quality and safety. Please consult the safety data sheet (SDS) of each product for further safety information.

Ink Projects has reviewed the information provided by our raw materials suppliers, checked through 3rd party lab testing, and can confirm all our inks are in full compliance with the REACH Resolution 1907/2006, as amended (including Commission Regulation (EU) 2020/2081), nor do they contain any Substances of Very High Concern (SVHC) in concentrations above 0.1% by weight, are not classified as a hazardous material under CLP (EC 1272/2008/EC), and are in full compliance with BPR (EC 528/2012/EC). Ink Projects will continue to monitor relevant changes in REACH, ECHA, CLP, BPR and our raw materials provided by our suppliers to keep this statement accurate.

Quality Guarantee from Ink Projects Quality & Safety Team

X *Eric Gurtkuran*

Quality & Safety Manager

